

## Table of content

<b>Compact Series</b>	<b>Pages</b>
MB Series .....	3
CT 400 Series .....	4
CX 400 .....	5
<b>E series</b>	
GTe4xe .....	6
CL Series .....	7
M-10e Series .....	8
M5900RVe Series .....	9
<b>PRO series</b>	
M-84 PRO Series .....	10
<b>Retail Series</b>	
HT 200e .....	11
DR 300 .....	12
XL 400e Series .....	13
<b>S Series</b>	
OEM S-Type e-Module .....	14
<b>Label Gallery</b>	
Label Gallery .....	15
Label Gallery Upgrades .....	16
<b>Options &amp; Spare parts</b>	
Options .....	17
Print Heads .....	19
Platen Rollers .....	20
Power Supplies .....	21



Prices effective as from January 2007

## MB20Xi NEW PRODUCT

### MB200i



Resolution: 203 dpi  
 Max. Print Width: 48 mm  
 Max. Print Length: 160 mm  
 Print Speed: Up to 62.5 mm/sec.  
 Label Ext. Diameter 67mm

SATO CODE	RoHS	SAP Code	Products
WMB202000	WWMB20000	9213033	MB200i incl Batt
WMB202670	WWMB20070	9213032	MB200i B/T incl Batt
WMB202740	WWMB20090	9205947	MB200i W/L incl Batt with LCD

### MB201i



Resolution: 203 dpi  
 Max. Print Wid 48 mm  
 Max. Print Len 160 mm  
 Print Speed: Up to 62.5 mm/sec.  
 Label Ext. Diameter, mm: 58 mm

SATO CODE	RoHS	SAP Code	Products
WMB203000	WWMB21000	9216581	MB201i incl Batt
WMB203670	WWMB21070	9210598	MB201i B/T incl Batt
WMB203740	WWMB21090	9210604	MB201i W/L incl Batt with LCD

#### MB 2xxi Options

WMB205500		9208252	Battery MB2xxi
WMB205932		9205923	Batt Charger EX2 1-Slot MB2xxi
WMB205942		9216587	Batt Charger EX2 5-Slot MB2xxi
WMB205962		9208253	AC Adapter EX2 MB2xxi
WMB205970		9216589	Shoulder Belt MB2xxi
YC3006234		9208832	D-sub 9pin cable (Serial cable RS232) for MB2

### MB 400



Resolution: 203 dpi  
 Max. Print Wid 104 mm  
 Max. Print Len 297 mm  
 Print Speed: Up to 50 mm/sec.

SATO CODE	RoHS	SAP Code	Products
WMB400002	WWMB40002	9220156	MB 400 (incl battery)
WMB400670	WWMB40070		MB 400 with Bluetooth Interface (incl. battery)
WMB401042	WWMB40042	9210605	MB 400 Wireless LAN (incl. battery)

#### MB 400 Starter Kits

WMB400072		9212146	MB 400 Starter Kit (MB400 + battery + charger + shoulder belt)
WMB400672		9205950	MB 400 Bluetooth Starter Kit

#### MB 400 Options

WMB405900		9210606	Battery
WMB405922	WWMB45922	9210637	Battery Charger
WMB405912	WWMB45912	9210638	AC Adapter
WPT405700	WWPT45500		Linerless Kit
YC8001882		9205949	RS 232C Cable

Compact Series

**CT 400-C**



Resolution: 203 dpi  
 Memory: 8 MB SDRAM  
 Max. Print Width: 104 mm  
 Max. Print Length: 400 mm  
 Print Speed: Up to 150 mm/sec.

**Interface board NOT included in the List Price**

SATO CODE	RoHS	SAP Code	Products
WCT400002	WWCT00002	9214023	CT 400-C DT
WCT400012	WWCT20002	9206418	CT 400-C TT

**CT 410-C**



Resolution: 305 dpi  
 Memory: 8MB SDRAM  
 Max. Print Width: 104 mm  
 Max. Print Length: 400 mm  
 Print Speed: Up to 100 mm/sec.

**Interface board NOT included in the List Price**

SATO CODE	RoHS	SAP Code	Products
WCT410002	WWCT10002	9207283	CT 410-C DT
WCT410012	WWCT30002	9207443	CT 410-C TT
1029+1032 ?		9207966	CT 410-C TT + Cutter
<b>Option for CT400 only</b>			
WCT400101	WWCT05100	9216964	CTC 400 Cutter
WCT400201	WWCT05200		Dispenser
WCT405660	WWCT45060	9208844	IEEE1284 for a CT4xx
WCT405632		9205954	Serial Interface RS232C for CT (9.600 - 57.600)
WCT405620		9206419	USB Interface
WCT405642		9207473	Mini LAN Interface
WCT405682			Wireless LAN Interface

**CX 400\***



Resolution: 203 dpi  
 Memory: 2MB Flash-Memory  
 Max. Print Width: 104 mm  
 Max. Print Length: 1270 mm  
 Print Speed: Up to 100 mm/sec.  
*2 units of printers per shipping box.*

NEW Codes	RoHS Code	SAP Code	Products
WCX400002	WWCX40002	9204807	CX400 Standard (with interface)
WCX400102		9216444	CX400 With Cutter
WCX400202		9210123	CX400 With Dispenser
WCX400004	WWCX40004	9206121	CX400 With Universal Switch Power
WCX400104			CX400 With Universal Switch Power + Cut
WCX400204			CX400 With Universal Switch Power+ Disp
<b>Option for CX400 only</b>			
WCX405100		9216454	Cutter
WCX405200	WWCX45200	9216902	Dispenser kit
WCX405004			Flash memory card (2MB)
WCX405005			Flash memory card (4MB)
WCX405010			Parallel cable
WCX405020		9206580	USB Parallel Cable/Adapter
<b>Option/ Print Server for CX400 only</b>			
WCX405802			Printer Server (10Base-T) (EU-3pin), PRIC
WCX405812			Printer Server (10Base-T) (EU-2pin), PRIC
WCX405822			Printer Server (100Base-TX) (EU-3pin), PR
WCX405832			Printer Server (100Base-TX) (EU-2pin), PR

LM 4xxe



Resolution: 203/305 dpi  
 Memory: 2 MB Flash Memory Module internal  
 Max. Print Width: 104 mm  
 Max. Print Length: 178 mm  
 Print Speed: Up to 150 mm/sec.

Interface board NOT Included in the List Price

SATO CODE	RoHS	SAP Code	Products
	WLM408002	9211469	LM 408e
	WLM412002	9211472	LM 412e

The LM4xxe features one interface slot.

available Standard Interfaces:

RJ1772200	WWCL45032	9204651	Standard Serial RS232C (4.800 - 19.200 baud)
WCL404050	WWCL45032	9204651	High Speed Serial RS232C (9.600 - 57.600 baud)
WCL404070	WWCL45060	9205287	IEEE 1284 Parallel
WCL404060	WWCL45020	9204654	USB Interface
WGT40584B		9204655	LAN Interface
WCL405672	WWCL45082	9209862	Wireless LAN - 802.11b

Other Options

	CV617431A	offen	Real Time Clock
--	-----------	-------	-----------------

## CL 400e



**Resolution:** 203/305 dpi  
**Memory:** 16 MB SDRAM, 2 MB Flash Memory Module internal  
 Optional: 4 MB Flash Memory Module internal  
**Max. Print Width:** 104 mm  
**Max. Print Length:** 1.249 mm / 833 mm  
**Print Speed:** Up to 150 mm/sec.

**Interface board NOT Included in the List Price**

SATO CODE	RoHS	SAP Code	Products
W00406002	WWC408002	9205288	CL 408e
W00416002	WWC412002	9207036	CL 412e
W00406202	WWC408202	9208317	CL408e with Disp.
<b>RFID - HF</b>			
			CL 408e RFID HF (13.56 MHz)
			CL 412e RFID HF (13.56 MHz)
W00405101	WWC405100	9209646	Guillotine Cutter
W00405201	WWC405201	9214022	Dispenser
W00405301	WWC405300	9216869	Internal Label Rewinder
W00405104	WWC405110		Rotary Cutter

## CL 600e



**Resolution:** 203/305 dpi  
**Memory:** 16 MB SDRAM, 2 MB Flash Memory Module internal  
 Optional: 4 MB Flash Memory Module internal  
**Max. Print Width:** 152 mm/164mm  
**Max. Print Length:** 1.249 mm / 833 mm  
**Print Speed:** Up to 200 mm/sec.

**Interface board NOT Included in the List Price**

SATO CODE	RoHS	SAP Code	Products
W00609002	WWC608002	9204656	CL 608e
W00613002	WWC612002	9207413	CL 612e
W00609202	WWC608202		CL 608e + Dispenser
W00613202	WWC612202		CL 612e + Dispenser
WMR605100	WWC605100		Cutter
W00608201	WWC605200	9216868	Dispenser
RJ4770100		9210790	PCB for Memory Card



e Series

## GTe4xxe



e Series



Resolution: 203/305/609 dpi  
 Memory: 6 MB Flash ROM  
 (Extendable with an extended Flash Memory Cartridge 8 MB)  
 Max. Print Width: 104 mm  
 Max. Print Length: 2500 mm / 1500 mm / 400 mm  
 Print Speed: Up to 300 mm/sec.

Interface board NOT Included in the List Price

SATO CODE	RoHS Code	SAP Code	Products
WGTE40000	WWGT08002	9204648	GTe408e (203 dpi)
WGTE41000	WWGT12002		GTe412e (305 dpi)
WGTE42000	WWGT24002	9216867	GTe424e (609 dpi)
WGT405100	WWGT05100	9216653	Cutter Kit
WGT405210	WWGT05210		GT Simply Disp Kit
WGT405842		9204809	GT mini LAN PCB Assy
WGT405870	WWGT05870		GT EXT (25) PCB Assy
WGT405880	WWGT05880		GT EXT (14) PCB Assy
WGT405500	WWGT05500		GT Linerless Kit
WGT405600	WWGT05T00		GT RFID Kit

## M10e



e Series



Resolution: 305 dpi  
 Memory: 16 MB SDRAM, 6 MB Flash Memory Module internal  
 Max. Print Width: 267 mm  
 Max. Print Length: 420 mm  
 Print Speed: Up to 125 mm/Sec

Interface board NOT Included in the List Price

SATO CODE	RoHS	SAP Code	Products
WM1002002	WWM102002	9204649	M-10e TT
WM1003002	WWM103002	9213043	M-10e DT
WM1005500	WWM105100	9207320	Cutter for M10e
WM1005600	WWM105600		Stacker for M10e
WM1005700	WWM105400		Unwinder for M10e

## M5900Rve




e Series





Resolution: 203 dpi  
 Memory: 16 MB SDRAM, 2 MB Flash Memory Module internal  
 Max. Print Width: 112 mm  
 Max. Print Length: 1.249 mm  
 Print Speed: Up to 150 mm/sec.

Interface board NOT Included in the List Price

SATO CODE	RoHS	SAP Code	Products
W05904002	WW5900002	9206421	M 5900Rve Standard Printer
W05904102	WW5900102		M 5900Rve Printer + Cutter
W05904202	WW5900202		M 5900Rve Printer + Dispenser
	WW5905200	9214025	Dispenser for M5900



M-84Pro					
<b>PRO Series</b>		<b>Resolution:</b>	203/305/609 dpi		
		<b>Memory:</b>	16 MB SDRAM, 2 MB Flash Memory Module internal Optional: 4 MB Flash Memory Module internal		
		<b>Max. Print Width:</b>	104 mm		
		<b>Max. Print Length:</b>	1.249 mm/833 mm/356 mm		
		<b>Print Speed:</b>	Up to 250mm/sec. (203 dpi) Up to 200mm/sec. (305 dpi) Up to 150mm/sec. (609 dpi)		
		<b>Interface board NOT Included in the List Price</b>			
		<b>SATO CODE</b>	<b>RoHS</b>	<b>SAP Code</b>	<b>Products</b>
		WM8420002	WWM842002	9210363	M84 Pro (203dpi)
		WM8430002	WWM843002		M84 Pro (305 dpi)
		WM8460002	WWM846002		M84 Pro (609 dpi)
<b>M-84Pro Options</b>					
WM8405100	WWM845100		Cutter (M84 Pro)		
WM8405200	WWM845200		Dispenser (M84 Pro)		
DE002001			Internal Backingpaper Rewinder		

HT 200e					
<b>Retail Series</b>		<b>Resolution:</b>	203 dpi		
		<b>Memory:</b>	512 k SDRAM Optional: 1 MB, 2 MB SDRAM-Karte		
		<b>Max. Print Width:</b>	48 mm		
		<b>Max. Print Length:</b>	96 mm		
		<b>Print Speed:</b>	Up to 60 mm/Sec. (with battery) Up to 80 mm/sec. (with power supply)		
		<b>SATO CODE</b>	<b>RoHS</b>	<b>SAP Code</b>	<b>Products</b>
		WHT201002	WWHT20002	9204810	HT 200e
		<b>HT 200e Options</b>			
		WHT205103	WWHT25102	9205984	Battery
		WHT205203	WWHT25202	9205985	Battery Charger
00006590		9210507	Scanner		
WHT201401			Offwinder		
00000187			1 MB PCMCIA Memory Card		
00000188		9210777	2 MB PCMCIA Memory Card		

DR 300 - <b>OBSOLETE</b>				
<b>Retail Series</b>		<b>Resolution:</b>	203 dpi	
		<b>Memory:</b>	512k SDRAM	
		<b>Max. Print Width:</b>	76 mm	
		<b>Max. Print Length:</b>	178 mm	
		<b>Print Speed:</b>	Up to 125 mm/sec.	
		<b>SATO CODE</b>	<b>SAP Code</b>	<b>Products</b>
		WDR300003	9206986	DR 300 Printer
		<b>DR 300 Options</b>		
		WDR306202		Dispenser
		WDR306102	9206989	Cutter
WDR306301		Rewinder RWD300		
WDR306402		LCD Touch Screen		
WDR306602	9206987	Stacker		
00006590		Scanner		
00000187		1 MB PCMCIA Memory Card		
00000188		2 MB PCMCIA Memory Card		





OEM S-Type Modules				
  <b>S Series</b>	<b>Resolution:</b> 203 dpi/305 dpi <b>Memory:</b> 16 MB SDRAM, 2 MB Flash Memory Module internal Optional: 4 MB Flash Memory Module internal <b>Max. Print Width:</b> Up to 152 mm <b>Max. Print Length:</b> Up to 1,249 mm <b>Print Speed:</b> Up to 300 mm/Sec <b>Interface board NOT included in the List Price</b>			
	SATO CODE	RoHS	SAP Code	Products
	W08458802	WW9450802	9210499	M8459Se LEFT, (203 dpi) only DT
	W08461802	WW9460802	9208634	M8460Se LEFT, (203 dpi)
	W08461902	WW9460902	9210497	M8460Se RIGHT, (203 dpi)
	W08485802	WW9480802	9216613	M8485Se LEFT, (203 dpi)
	W08485902	WW9480902	9210061	M8485Se RIGHT, (203 dpi)
	W08491802	WW9490802	9216616	M8490Se LEFT, (305 dpi)
	W08491902	WW9490902	9216617	M8490Se RIGHT, (305 dpi)

**SATO LABEL GALLERY 2 PRICE LIST  
(SATO PRINTER ONLY)**

Valid from 15th December 2005

Old LG 1.6.xx Code	New Code		Hardware Key type	Version
<b>Single User versions</b>				
BSI135001	WLGSS001U	9207477	USB	EASY
BSI135002	WLGSS001P	9210304	PARALLEL	-Entry level labeling software
BSI135003	WLGSS002U	9213952	USB	PLUS
BSI135004	WLGSS002P	9213528	PARALLEL	-Full featured labeling software <ul style="list-style-type: none"> <li>· LabelGallery PLUS - full feature labeling software</li> <li>· GalleryData - database manager</li> <li>· GalleryMemMaster - download utility for fonts and graphics</li> </ul>
BSI135005	WLGSS003U	9206124	USB	TRUEPRO
BSI135006	WLGSS003P		PARALLEL	-Complete labeling software solution -1 CAL memo not inclusive (user can obtain 1 CAL number from SI website for free if they need later) - design label can be exported to PocketPC. <ul style="list-style-type: none"> <li>· LabelGallery PLUS - full feature labeling software</li> <li>· GalleryForm - data entry application generator</li> <li>· GalleryData - database manager</li> <li>· GalleryWatch - synchronise of label production</li> <li>· GalleryMemMaster - download utility for fonts and graphics</li> <li>· GalleryPrint - easy print and preview dialogue</li> </ul>
BSI135041	WLGSS006U		USB	TRUEPRO with WinCE - 1 CAL
BSI135042	WLGSS006P		PARALLEL	-same as TRUEPRO just that this come with 1 Pocket CAL memo in
<b>Single User versions – Print Only</b>				
BSI135011	WLGSS004U		USB	PLUS – Print Only
BSI135012	WLGSS004P		PARALLEL	-Full featured labeling software but cannot modify and design layout.
BSI135013	WLGSS005U		USB	TRUEPRO – Print Only
BSI135014	WLGSS005P		PARALLEL	-Complete labeling software solution but cannot modify and design layout. Others modules like Form/MemMaster cannot create new or modified and Database cannot create structure.
<b>Network versions</b>				
BSI135007	WLGSS011N		-	TRUEPRO - 5 Concurrent Users
BSI135008	WLGSS012N		-	TRUEPRO - 10 Concurrent Users
BSI135009	WLGSS013N		-	TRUEPRO - 20 Concurrent Users
BSI135010	WLGSS014N		-	TRUEPRO - 50 Concurrent Users
<b>Other versions</b>				
-	WLGUS411N		-	Additional 5 WinCE CALs
-	WLGUS412N		-	Additional 10 WinCE CALs
-	WLGUS413N		-	Additional 20 WinCE CALs
-	WLGUS414N		-	Additional 50 WinCE CALs

## UPGRADES LG2 Standard

Old LG 1.6.xx Code	New Code		Hardware Key type	Version
<b>Single User versions - Upgrade</b>				
BSI135015	WLGSU001N		-	EASY - major version upgrade
BSI135016	WLGSU002N		-	PLUS - major version upgrade
BSI135017	WLGSU003N	9213412	-	TRUEPRO - major version upgrade
BSI135044	WLGSU006N		-	TRUEPRO with WinCE - 1 CAL - major version upgrade
<b>Single User versions- Print Only - Upgrade</b>				
BSI135018	WLGSU004N		-	PLUS PRINT ONLY - major version upgrade
BSI135019	WLGSU005N		-	TRUEPRO PRINT ONLY - major version upgrade
<b>Upgrade Prices to Network 2.x versions from previous Network 1.x/Aviator editions</b>				
<b>From same Network editions</b>				
BSI135020	WLGSU111N		-	TRUEPRO - 5 Concurrent Users
BSI135021	WLGSU112N		-	TRUEPRO - 10 Concurrent Users
BSI135022	WLGSU113N		-	TRUEPRO - 20 Concurrent Users
BSI135023	WLGSU114N		-	TRUEPRO - 50 Concurrent Users
<b>From single user version</b>				
BSI135024	WLGSU211N		-	TRUEPRO - 5 Concurrent Users
BSI135025	WLGSU212N		-	TRUEPRO - 10 Concurrent Users
BSI135026	WLGSU213N		-	TRUEPRO - 20 Concurrent Users
BSI135027	WLGSU214N		-	TRUEPRO - 50 Concurrent Users
<b>Additional License Packs for Label Gallery TruePro Network V2 editions</b>				
<b>Network versions – Upgrade for more users</b>				
-	WLGSU311N		-	TRUEPRO - 5 License Pack
-	WLGSU312N		-	TRUEPRO - 10 License Pack
-	WLGSU313N		-	TRUEPRO - 20 License Pack
-	WLGSU314N		-	TRUEPRO - 50 License Pack

<b>Damage/Lost Dongle</b>				
-	WLGf00000		-	Damage/ Lost Dongle

### GENERAL CONDITIONS AND FEATURES

Hardware Key Replacement Condition for customers/resellers:

Guarantee Period(exclude Abused Hardware keys)

Hardware keys are under guarantee, valid for the period of two years, from the date of purchase. Cost: Nil.

**Damage key**

Hardware keys older than two years and keys that are damaged key will be replaced upon the return of the damaged key.

Cost: 100 Euro plus complete shipping cost bear by customer.

**Lost key**

Lost keys will be replaced only if there is proof of purchase. Cost: 100 Euro plus complete shipping cost bear by customer.

## SATO LABEL GALLERY 2 DYNAMIC PRICE LIST (FOR ALL PRINTERS)

Valid from 15th December 2005

Old LG 1.6.xx Code	New Code		Hardware Key type	Version
<b>Single User versions</b>				
BSI135103 BSI135104	WLGDS002U WLGDS002P	9213303	USB PARALLEL	<b>PLUS</b> -Full featured labeling software · <b>LabelGallery PLUS</b> - full feature labeling software · <b>GalleryData</b> - database manager · <b>GalleryMemMaster</b> - download utility for fonts and graphics
BSI135105 BSI135106	WLGDS003U WLGDS003P	9214388	USB PARALLEL	<b>TRUEPRO</b> -Complete labeling software solution -1 CAL memo not inclusive (user can obtain 1 CAL number from SI website for free if they need later) - design label can be exported to PocketPC. · <b>LabelGallery PLUS</b> - full feature labeling software · <b>GalleryForm</b> - data entry application generator · <b>GalleryData</b> - database manager · <b>GalleryWatch</b> - synchronise of label production · <b>GalleryMemMaster</b> - download utility for fonts and graphics · <b>GalleryPrint</b> - easy print and preview dialogue
- -	WLGDS006U WLGDS006P		USB PARALLEL	<b>TRUEPRO with WinCE support</b> - same as TRUEPRO just that this come with 1 Pocket CAL memo in package.
<b>Single User versions – Print Only</b>				
BSI135111 BSI135112	WLGDS004U WLGDS004P		USB PARALLEL	<b>PLUS – Print Only</b> -Full featured labeling software but cannot modify and design layout.
BSI135113 BSI135114	WLGDS005U WLGDS005P		USB PARALLEL	<b>TRUEPRO – Print Only</b> -Complete labeling software solution but cannot modify and design layout. Others modules like Form/MemMaster cannot create new or modified and Database cannot create structure.
<b>Network versions</b>				
BSI135107	WLGDS011N	9210294	-	<b>TRUEPRO - 5 Concurrent Users</b>
BSI135108	WLGDS012N	9209856	-	<b>TRUEPRO - 10 Concurrent Users</b>
BSI135109	WLGDS013N		-	<b>TRUEPRO - 20 Concurrent Users</b>
BSI135110	WLGDS014N		-	<b>TRUEPRO - 50 Concurrent Users</b>
<b>Other versions</b>				
-	WLGDU411N		-	<b>Additional 5 WinCE CALs</b>
-	WLGDU412N		-	<b>Additional 10 WinCE CALs</b>
-	WLGDU413N		-	<b>Additional 20 WinCE CALs</b>
-	WLGDU414N		-	<b>Additional 50 WinCE CALs</b>

## Options

## Interfaces and Accessoires for enhanced-Printer



SATO CODE	RoHS	SAP Code	Products
RJ1772200		9204651	Standard Serial RS232C (4.800 - 19.200 baudrate); e-series
WCL404050			High Speed Serial RS232C (9.600 - 57.600 baudrate)
RJ1772001		9204653	Centronics
WCL404070		9205287	IEEE 1284 Parallel
RJ1772500		9204833	RS422/485 Interface
00004605			Twinax/Coax Interface
WCL404060		9204654	USB Interface
WGT40584B		9204655	LAN Interface
WCL405672		9209862	Wireless LAN - 802.11b
WGT405842		9204809	GT Mini LAN Interface
CV617431A		9210966	Real Time Clock for enhanced Series

## Memory Extensions

SATO CODE	RoHS	SAP Code	Products
RJ4770100		9210790	PCB for PCMCIA Memory Card for enhanced Series
W00405501		9210785	Flash Memory Expansion 4MB intern for enhanced Series
Y98133080003	Y98133080003		PCMCIA 1MB 8 bit
Y98133080001	Y98133080001		PCMCIA 1MB 16 bit
Y98133080004	Y98133080004		PCMCIA 2MB 8 bit
Y98133080002	Y98133080002	9210777	PCMCIA 2MB 16 bit
			PCMCIA 4MB 8 bit
			PCMCIA 4MB 16 bit

## Smart Keyboards



SATO CODE	RoHS	SAP Code	Products
YC3005898	YC3005898	9220147	Keyboard enhanced Series, incl. Modified Serial Interface
YVCX20129	YVCX20129		Keyboard for CX2xx Series
00061P	00061P		Keyboard for CT4xx-A Series, incl. Serial Interface
00061P	00061P		Keyboard for CT4xx-C Series, incl. Serial Interface
Y98133050001	Y98133050001	9214326	Keyboard Smart K012 Plus
Y98133170002	Y98133170002		Smart Keyboard Download Cable

## UPGRADES LG2 Dynamic

Old LG 1.6.xx Code	New Code		Hardware Key type	Version
<b>Single User versions - Upgrade</b>				
BSI135116	WLGDU002N		-	PLUS - major version upgrade
BSI135117	WLGDU003N		-	TRUEPRO - major version upgrade
<b>Single User versions- Print Only - Upgrade</b>				
BSI135118	WLGDU004N		-	PLUS PRINT ONLY - major version upgrade
BSI135119	WLGDU005N		-	TRUEPRO PRINT ONLY - major version upgrade
<b>Upgrade Prices to Network 2.x versions from previous Network 1.x/Aviator editions</b>				
<b>From same Network editions</b>				
BSI135120	WLGDU111N		-	TRUEPRO - 5 Concurrent Users
BSI135121	WLGDU112N		-	TRUEPRO - 10 Concurrent Users
BSI135122	WLGDU113N		-	TRUEPRO - 20 Concurrent Users
BSI135123	WLGDU114N		-	TRUEPRO - 50 Concurrent Users
<b>From single user version</b>				
BSI135124	WLGDU211N		-	TRUEPRO - 5 Concurrent Users
BSI135125	WLGDU212N		-	TRUEPRO - 10 Concurrent Users
BSI135126	WLGDU213N		-	TRUEPRO - 20 Concurrent Users
BSI135127	WLGDU214N		-	TRUEPRO - 50 Concurrent Users
<b>Additional License Packs for Label Gallery TruePro Network V2 editions</b>				
<b>Network versions – Upgrade for more users</b>				
-	WLGDU311N		-	TRUEPRO - 5 License Pack
-	WLGDU312N		-	TRUEPRO - 10 License Pack
-	WLGDU313N		-	TRUEPRO - 20 License Pack
-	WLGDU314N		-	TRUEPRO - 50 License Pack

<b>Damage/Lost Dongle</b>				
Old LG 1.6.xx Code	New Code		Hardware Key type	Version
-	WLGDF0000		-	Damage/Lost Dongle

### GENERAL CONDITIONS AND FEATURES

#### Hardware Key Replacement Condition for customers/resellers:

Guarantee Period(exclude Abused Hardware keys)

Hardware keys are under guarantee, valid for the period of two years, from the date of purchase. Cost: Nil.

#### Damage key

Hardware keys older than two years and keys that are damaged key will be replaced upon the return of the damaged key.

Cost: 100 Euro plus complete shipping cost bear by customer.

#### Lost key

Lost keys will be replaced only if there is proof of purchase. Cost: 100 Euro plus complete shipping cost bear by customer.

## Options

## Rewinders



SATO CODE	RoHS	SAP Code	Products
			R 200 (incl. Connection) Max. Label Width: 120 mm
YCX215300			R 610 (incl. Connection Cable for Printer ) Max. Label Width: 180 mm --- <b>OBSOLETE</b> --- Replacement is <b>RWG500 + 6Inch Extension</b>

Winding method External winding: direct on the 40 mm spindle/3inch paper core windir

Winding direction Face-out/face-in (Counterclockwise / Clockwise)

Media size Width, mm 25 - 131 (option 132 - 180)

Pitch, mm 8 - 400

Thickness, mm 0.08 - 0.27



SATO CODE	RoHS	SAP Code	Products
WGT405310	WWRW55300	9206023	RWG 500
	WGT405970	9208594	RWG 500 6 Inch Expansion Kit
SATO CODE	RoHS	SAP Code	Products
WMR405501	WMR405501		Catch Tray for CL4xxe

## Cleaning Kit



SATO CODE	RoHS	SAP Code	Products
9332			Cleaning Cards Print Heads 4"x6" 25 pcs/box
9346			Cleaning Wipes Print Heads 100 pcs/box
			Cleaning Wipes Labels and Adhesive Remover 100 pcs/box
9347			Cleaing Sheet Print Heads (Lapping Film) 3pcs (215x279 mm)

Printhead

Printheads

SATO CODE	RoHS	SAP Code	Products	
WGT405810	WWGT05810	9209752 (rest qty: 9208946)	GTe408e	203 dpi
WGT405820	WWGT05820	9209753 (rest qty.: 9208948)	GTe412e	305 dpi
WGT405830	WWGT05830	9209756 (rest qty.: 9208949)	GT424e	609 dpi
GH000741A		9207428	LM408e	203 dpi
GH000741A		9207428	CL408e	203 dpi
GH000771A		9208950	CL412e	305 dpi
GH000661A		9208961	CL608e	203 dpi
GH000671A		9208962	CL612e	305 dpi
RC0A20302		9208964	CT400	203 dpi
RC0A20402		9208965	CT410	305 dpi
WCX405701		9208966	CX400	203 dpi
GH000581A		9208967	DR300	203 dpi
G00011000		9208968	HT 200e	203 dpi
WM8400700	WWM845800	9208969	M 84Pro	203 dpi
WM8400710	WWM845810	9209794	M 84Pro	305 dpi
WM8400720	WWM845820	9209190	M 84Pro	609 dpi
PR7A60101		9209207	M10e	305 dpi
P00273000		9209209	M5900Rve	203 dpi
R07333010		9220935	LT408e (head su	203 dpi
GH000801A		9209210	M8459Se	203 dpi
GH000661A		9209211	M8460Se	203 dpi
GH000781A		9209212	M8485Se	203 dpi
GH000831A		9209213	M8490Se	305 dpi
GH900041A		9209214	MB 200	203 dpi
GH000761A		9209215	MB 400	203 dpi
R00182000		9209216	XL400	203 dpi
R00183000		9209217	XL410e	305 dpi
6167 GH00811H	GH000231A	9210562	M8400S	

## Platen Rollers

Platen Rollers		
SATO CODE	SAP Code	Products
R04703000	9208944	GTe4xxe
PR7770200	9210148	CL408e
R03064000	9210149	CL408e - up from s/n 307A....
PR7771000	9210150	CL412e
R03065000	9210151	CL412e - up from s/n 307A...
PR7720100	9209874	CL608e
PR7720500	9210153	CL612e
PR0A20102	9210154	CT400
		CT410
WCX405708	9210172	CX400
PR7750200	9210173	DR300
PR7500100	9210174	HT 200e
R00907001	9209911	M 84Pro
RC1A60100	9210180	M10e
PR1520300	9210181	M5900RVe
PR0730300	9210182	M8460Se
PR0730100	9210183	M8459Se
		M8485Se
		M8490Se
PR0A30203	9210184	MB 200
PR7A50101	9210185	MB 400
PR7760200	9210186	XL400
PR7761600	9210187	XL410e
R07323010		Lt408 Sub A
R07324001		Lt408 Sub B



## CT 400 CT 410

Power Supplies			
SATO CODE	SAP-Nr.	Products	
K00050000	9214522	GTe409e	203 dpi
		GTe412e	305 dpi
		GT424e	609 dpi
KA600081A	9219462	CT400	203 dpi
		CT410	305 dpi
WCX405709	9216464	CX400	203 dpi
KA500641A	9218324	CL409e	203 dpi
		CL412e	305 dpi
		DR300	203 dpi
KA500821A	9219753	CL609e	203 dpi
		CL612e	305 dpi
KA500841A	9219561	M-84Pro	203 dpi
		M-84Pro	305 dpi
		M-84Pro	609 dpi
K00007000	9219743	M5900RVe	203 dpi
K00011000	9214517	XL400e	203 dpi
		XL410e	305 dpi
K00023000	9214521	M10e	305 dpi
RJ0500208	9219834	HT 200e	203 dpi
PR7730301	9219534	M8459Se	203 dpi
		M8485Se	203 dpi
		M8490Se	305 dpi
		M8460Se	203 dpi